

Holder-OH

- Accessories for installing switchboards on a pole
- Supplied with Bandimex straps and clips
- Holder-OH3215 and Holder-OH4320
- Column diameter 130 – 300mm
- Holder-OH6425, OH7525, OH8625
- Column diameter 150 – 215mm



Brackets for pole mounting of OH series switchgear are made of coated steel profiles. The package also includes stainless steel bands and clips of the Bandimex system, which guarantee a safe attachment of the switchboards to the poles.

Available models

Order name	Order code
Holder-OH3215	4-500-032
Holder-OH8625	4-500-025
Holder-OH6425	4-500-030
Holder-OH4320	4-500-028
Holder-OH7525	4-500-036



Technical parameters

Holder-OH3215

Permissible load	15 kg
Column diameter	130 - 300 mm
Quantity	2 pcs
Belt	2 pcs

Holder-OH4320

Permissible load	20 kg
Column diameter	100 - 300 mm
Quantity	2 pcs
Belt	2 pcs (1 pcs 1 m long)

Holder-OH6425

Permissible load	100 kg
Column diameter	150 - 215 mm
Quantity	2
Belt	2 pcs (1 pcs 70 cm long)

Holder-OH7525

Permissible load	100 kg
Column diameter	150 - 215 mm
Quantity	2
Belt	2 pcs (1 pcs 70 cm long)

Holder-OH8625

Permissible load	100 kg
Column diameter	150 - 215 mm
Quantity	2
Belt	2 pcs (1 pcs 70 cm long)



Standards and protocols

Standard	Note
----------	------

EMC and safety

Standard	Level	Note
----------	-------	------

Notes

- The manufacturer reserves the right to change technical parameters without prior notice.

Document created on 02/09/2026 10:07PM:05